


Cummins series generator




Cummins series adopt CUMMINS engines. Through near ten years of cooperation with CUMMINS, Fukangsi/Cummins series with its high reliability, low use and maintenance cost win the loyalty of many customers in Columbus, Indiana, (USA) Cummins INC, serves customers in more than 137 countries and territories through its network of 680 Company-owned and independent distributor locations and the more than 500 dealer locations. As the largest foreign engine investors of China, Cummins possess Chongqing Cummins Engine CO., Ltd (produce M, N, K series engine) and Dongfeng Cummins Engine CO., Ltd (produce B, C, L series engine) and produce CUMMINS engines with globally uniform quality standard. Fukangsi/Cummins guarantee the most convenience and shortcut service through their service network countrywide.



TECHNICAL DATA

Type	Power(kw)		Engine type	Cylinder No.	Displacement(L)	Lubrication capacity(L)	Fuel consumption(g/kw.h)	Dimension L*W*H (mm)	Weight (kg)
	Prime	Standby							
C22	20	22	4B3.9-G1	4	3.9	10.9	209	1800*760*1400	890
	20	22	4B3.9-G2	4	3.9	10.9	209	1800*760*1400	890
C33	30	33	4BT3.9-G1	4	3.9	10.9	209	1800*760*1400	890
	30	33	4BT3.9-G2	4	3.9	10.9	209	1800*760*1400	940
C44	40	44	4BT3.9-G2	4	3.9	10.9	210	1800*760*1400	940
C50S		50	4BT3.9-G2	4	3.9	10.9	210	1800*760*1400	980
C55	50	55	6BT5.9-G1	6	5.9	16.4	210	2200*860*1460	1080
	50	55	6BT5.9-G2	6	5.9	16.4	210	2200*860*1460	1080
C70	64	70	6BT5.9-G1	6	5.9	16.4	210	2200*860*1460	1120
	64	70	6BT5.9-G2	6	5.9	16.4	210	2200*860*1460	1120
C90	80	90	6BT5.9-G1	6	5.9	16.4	210	2200*860*1460	1260
	80	90	6BT5.9-G2	6	5.9	16.4	210	2200*860*1460	1260
C100	90	100	6BTA5.9-G2	6	5.9	16.4	207	2200*860*1460	1350
C110	100	110	6BTAA5.9-G2	6	5.9	16.4	207	2300*860*1563	1560
C120S		120	6BTAA5.9-G2	6	5.9	16.4	207	2300*860*1563	1760
C132	120	132	6CTA8.3-G2	6	8.3	23.8	206	2400*860*1606	1920
C150S		150	6CTA8.3-G2	6	8.3	23.8	206	2400*860*1606	2130
C180	160	180	6CTAA8.3-G2	6	8.3	23.8	206	2600*970*1672	2300
C220	200	220	6LTAA8.9-G2	6	8.9	27.6	206	2650*1000*1612	2430
C265	240	265	NT855-G1	6	14	36.7	207	3000*980*1760	2600
C280	260	280	NTA855-G1B	6	14	36	206	3100*980*1760	2950
C300	280	300	NTA855-G2A	6	14	36.7	210	3100*1030*1780	3000
C360S		360	NTAA855-G7A	6	14	36.7	204	3300*1380*1850	3250
C400	360	400	KTA19-G3	6	18.9	50	210	3400*1250*1970	3500
C480	450	500	KTAA19-G5	6	18.9	50	203	3700*1550*1940	4000
C550S		550	KTAA19-G6A	6	18.9	50	203.8	3700*1550*1940	4300
C550	500	550	KT38-G	12	37.8	135	203.8	4300*1700*2360	8300
C700	640	700	KTA38-G2B	12	38	135	206	4450*1700*2360	8650
C880	800	880	KTA38-G5	12	37.8	135	213	4400*2100*2300	9370
C1000	900	1000	KTA38-G9	12	37.8	135	213	4800*1800*2400	9500
C1000	1000	1100	KTA50-G3	16	50.3	177	210	5200*2080*2500	11000
C1300	1100	1300	KTA50-G8	16	50.3	204	210	5900*2270*2500	12000
C1300	1200	1300	KTA-GS8	16	50.3	204	210	5900*2270*2500	12000
C1300	1200	1300	KTA50-GS8	16	50.3	204	210	5900*2270*2500	12000



Drawing



ATS

Chongqing Hi-Sea Marine Equipment Import&Export Co.,Ltd.

Address: 20-5,General Chamber of Commerce Building, No.2 Hongjin Street, Yubei District, Chongqing, China

Email: machine@hiseamarine.com mitang0708@foxmail.com **Skype:** cncqtang **QQ:** 2278612160

TEL: +86-23-67032301 **FAX:**+86-23-67955123 **Mobile:** +86-18108354610 **Post Code:**401147

Website: www.hiseamarine.com www.chinahisea.com