


Perkins series generator set



Perkins series generator set has developed into 4-2000KW(5-2600hp) diesel and the gasoline engine market apex supplier. In the areas of the industry, the building, the agriculture, the ship and the generating set market, the international main original equipment manufacturer choose Perkins to provide the power in abundance for its equipment, because they knew, regardless of how harsh they proposed, Perkins can always provide the solution. We believe take through powerful support from the mature business agent and the distributor network of all over the world, as well as our continually progress in the aspect of the product, the manpower and the flow, your choice will never make you disappoint.




TECHNICAL DATA

Type	Power(kw)		Engine type	Cylinder No.	Displacement (L)	Bore*Stroke (mm*mm)	Fuel consumption (g/kw.h)	Dimension L*W*H (mm)	Weight (kg)
	Prime	Standby							
P8	7	8	403D-11G	3	1.1	77*81	210	1320*552*1179	334
P11	10	11	403D-15G	3	1.5	84*94	209	1320*552*1179	393
P18	16	18	404D-22G	4	2.2	84*100	210	1320*552*1179	467
P27	21	27	404G-22TG	4	2.2	84*100	209	1350*552*1179	488
P26	24	26	1103A-33G	3	3.3	105*127	214	1770*715*1365	498
P31	25	31	1103C-33G2	3	3.3	105*127	213	1770*715*1400	595
P40	32	40	1104C-44G1	4	4.4	105*127	214	1800*720*1400	680
P46	37	46	1103C-33TG2	3	3.3	105*127	218	2200*750*1400	940
P70	64	70	1104A-44TG2	4	4.4	105*127	215	2549*752*1366	1010
P88	80	88	1104C-44TAG2	4	4.4	105*127	217	2370*735*1381	1180
P120	109	120	1006TAG	6	5.99	100*127	216	2700*900*1458	1405
P132	120	132	1006TAG2	6	6.00	100*127	200	2700*900*1458	1410
P160	144	160	1106C-E66TAG4	6	6.6	105*127	212	2817*900*1637	1663
P200	184	200	1306C-E87TAG4	6	8.7	116*136	215	2960*1003*1718	2052
P220	200	220	1306C-E87TAG6	6	8.7	116*136	210	2590*1005*1720	2135
P320	280	320	2206C-E13TAG2	6	14.0	137*165	210	3500*1110*2158	2715
P400	360	400	2506A-E15TAG1	6	15.8	137*171	212	3700*1110*2143	3831
P455	364	455	2506C-E15TAG1	6	15	137*171	213	3700*1110*2140	3910
P591	473	591	2806C-E18TAG1A	3	18.1	145*183	214	4000*1250*2190	4012
P685	584	685	4006-23TAG2A	6	22.92	160*169	205	4290*1912*2286	6060
P720	640	720	4006-23TAG3A	6	22.92	160*168	205	4290*1912*2286	6260
P849	679	849	4008TAG	8	30.6	160*169	210	4800*1900*2250	6800
P900	818	900	4008TAG2A	8	30.56	160*169	209	5030*1900*2250	7715
P1253	1002	1253	4012-46TWG2A	12	45.8	160*169	210	5000*2000*2300	7715
P1364	1091	1364	4012-46TWG4A	12	45.8	160*169	208	5200*2000*2300	9000
P1500	1364	1500	4012-46TAG3A	12	45.84	160*169	205	5392*2040*2308	11890
P1650	1500	1650	4016TAG1A	16	61.10	160*169	207	6010*2300*3010	15500
P1811	1646	1811	4016TAG2A	16	61.1	160*169	207	6010*2300*3010	15500
P2250	1818	2250	4016-61TRG3A	16	61.10	160*169	208	6100*2350*3010	16500



Perkins genset in factory

Perkins generator



Perkins series generator unit

Chongqing Hi-Sea Marine Equipment Import&Export Co.,Ltd.

Address: 20-5,General Chamber of Commerce Building, No.2 Hongjin Street, Yubei District, Chongqing, China

Email: machine@hiseamarine.com mitang0708@foxmail.com **Skype:** cncqtang **QQ:** 2278612160

TEL: +86-23-67032301 **FAX:** +86-23-67955123 **Mobile:** +86-18108354610 **Post Code:** 401147

Website: www.hiseamarine.com www.chinahisea.com