


# STAINLESS STEEL ELBOWS



## 90° ELBOW LONG RADIUS Schedules 5S, 10S, 40S, 80S ASME/ANSI B16.28

NPS DN	Outside Diameter O.D.	Center To End B	Schedule 5S			Schedule 10S			Schedule 40S			Schedule 80S		
			Inside Diameter I.D.	Wall Thickness T	Approx. WT.	Inside Diameter I.D.	Wall Thickness T	Approx. WT.	Inside Diameter I.D.	Wall Thickness T	Approx. WT.	Inside Diameter I.D.	Wall Thickness T	Approx. WT.
1 25	1.32 33	1.00 25	1.185 30.10	.065 1.65	.12 .05	1.097 27.85	.109 2.75	.23 .1	1.049 26.65	.133 3.40	.25 .11	.957 24.30	.179 4.55	.41 .18
1 1/4 32	1.66 42	1.25 32	1.530 38.85	.065 1.65	.25 .11	1.442 36.65	.109 2.75	.38 .17	1.380 35.05	.140 3.55	.40 .18	1.278 32.45	.191 4.85	.63 .28
1 1/2 40	1.90 48	1.50 38	1.770 44.95	.065 1.65	.42 .19	1.682 42.70	.109 2.75	.49 .22	1.610 40.90	.145 3.70	.56 .25	1.500 38.10	.200 5.10	.75 .34
2 50	2.38 60	2.00 51	2.245 57.00	.065 1.65	.63 .28	2.157 54.80	.109 2.75	.81 .36	2.067 52.50	.154 3.90	1 .45	1.939 49.25	.218 5.55	1.5 .68
2 1/2 65	2.88 73	2.50 64	2.709 68.80	.083 2.10	1.22 .55	2.635 66.95	.120 3.05	1.36 .6	2.469 62.70	.203 5.15	2.13 .96	2.323 59.00	.276 7.00	2.8 1.3
3 80	3.50 89	3.00 76	3.334 84.70	.083 2.10	1.7 .8	3.260 82.80	.120 3.05	2.17 1.0	3.068 77.95	.216 5.50	3 1.4	2.900 73.65	.300 7.60	4.25 1.9
3 1/2 90	4.00 102	3.50 89	3.834 97.40	.083 2.10	2.3 1.0	3.760 95.50	.120 3.05	3.03 1.4	3.548 90.10	.226 5.75	4.5 2	3.364 85.45	.318 8.10	6 2.7
4 100	4.50 114	4.00 102	4.334 100.10	.083 2.10	2.95 1.3	4.260 108.20	.120 3.05	3.8 1.7	4.026 102.25	.237 6.00	6.25 2.8	3.826 97.20	.337 8.55	8.5 3.8
5 125	5.56 141	5.00 127	5.345 135.75	.109 2.75	4.24 1.9	5.295 134.50	.134 3.40	5.19 2.3	5.047 128.20	.258 6.55	9.6 4.3	4.813 122.25	.375 9.55	14 6.3
6 150	6.62 168	6.00 152	6.407 162.75	.109 2.75	6.09 2.7	6.357 161.50	.134 3.40	7.45 3.4	6.065 154.05	.280 7.10	18 8.1	5.761 146.35	.432 10.95	23 10.4