



High Holding Power Danforth Anchor



NOMINAL WEIGHT(KG)	SIZE(mm)					
	A	B	C	D	E	F
60	186	408	755	535	985	240
75	200	450	830	590	1080	260
100	216	490	930	640	1180	290
120	220	505	970	670	1230	300
125	234	520	1000	690	1270	310
150	242	550	1060	732	1348	330
200	266	600	1150	810	1490	360
250	294	650	1240	870	1600	390
276	296	660	1250	885	1620	400

300	312	690	1320	925	1700	420
400	342	750	1460	1010	1810	460
500	368	800	1570	1100	2020	490
750	414	910	1800	1260	2300	560
1000	450	980	1980	1380	2540	620
1250	484	1070	2100	1490	2740	670
1500	512	1120	2220	1580	2850	700
2000	560	1130	2440	1730	2910	770
2500	605	1217	2628	1864	3070	830
3000	640	1290	2790	1980	3330	880
4000	700	1420	3070	2170	3590	970
5000	735	1482	3200	2270	3840	1020
6000	800	1620	3500	2480	4100	1100
7000	840	1696	3850	2590	4180	1150
8500	910	1936	3940	2600	4490	1240
10000	940	2000	4150	2900	4640	1280
13600	1046	2120	4590	3250	5378	1440
16000	1105	2240	4845	3435	5680	1520
18000	1150	2270	5000	3570	5680	1580
20000	1190	2350	5175	3695	5880	1635
25000	1280	2530	5570	3982	6330	1760

Stainless steel danforth anchor



Nominal Weight(kg)	Size(mm)				
	A	B	C	L	H
45	746	140	450	710	192
500	1665	314	1004	1584	429
1000	2098	395	1265	1996	540
2000	2643	498	1593	2515	680
3000	3025	570	1823	2877	779
4000	3332	628	2008	3169	858
5000	3587	676	2162	3412	923
6000	3814	719	2299	3629	982
7000	4011	756	2418	3816	1033
8000	4196	791	2530	3992	1080
9000	4363	822	2630	4151	1123
10000	4518	851	2723	4298	1163
12000	4804	905	2896	4570	1237
15000	5179	976	3122	4927	1333
18000	5501	1036	3316	5233	1416
20000	5698	1073	3435	5420	1467